



NEW PRODUCTS 2023


MEN'S HORIZONTAL QUILTED JACKET

DCHJ093

Part Number: DCHJ093D1-(size)

Sizes: S - 3X

- Polyester Lining
- Wind and Water Resistant Nylon Shell
- Lightweight for packability
- Pockets: 1 left chest vertical water proof zip phone pocket, 1 each side lower front vertical waterproof zippered handwarmer pockets, 1 outer lower back left battery pocket, 1 inner left chest vertical zip battery pocket, 1 lower inside left phone/battery pocket with hook/loop closure
- Includes: Battery, Charger and USB Power Adapter



CHEST + INSIDE POCKETS FOR PHONE, BATTERY OR TOOLS



UPPER + LOWER INTERIOR POCKETS FOR MORE STORAGE



RAISED NECK + POLY LINING HELP TRAP IN HEAT



WOMEN'S QUILTED PUFFER VEST

DCHV094


Part Number: DCHV094D1-(size)

Sizes: XS - 2X

- Polyester Lining
- Wind and Water Resistant Nylon Shell
- Lightweight for packability
- Pockets: 1 left chest vertical water proof zip phone pocket, 2 lower front vertical waterproof zippered handwarmer pockets, 1 outer lower back left battery pocket, 1 inner left chest vertical zip battery pocket, 1 lower inside left phone/battery pocket with hook/loop closure
- Includes: Battery, Charger and USB Power Adapter



CHEST + INSIDE POCKETS FOR PHONE, BATTERY OR TOOLS



BRUSHED TRICOT POCKETS STORAGE + HAND WARMING



EASY ACCESS TO POWER AND TEMPERATURE CONTROL



SJ322B S-4X

TYPE R CLASS 3 SOFTSHELL RIPSTOP JACKET

- *Tri-Laminate Ripstop Polyester With Waffle Fleece Lining*
- *2" Silver Reflective Segmented Heat Transfer Tape*
- *Waterproof Zipper Closure*
- 2 Mic Tabs
- Color Blocked Bottom And Cuffs
- Detachable Hood
- 1 Exterior Zipper Chest Pocket, 2 Lower Exterior Hand Warmer Pockets, 1 Exterior Sleeve Pen Pocket, 1 Interior Zipper Chest Pocket, 3 Lower Interior Pockets With Room For Tablet



SJ411QB S-5X

ECONOMY PARKA WITH QUILTED LINING

- *Quilted Lining*
- *PU Coated Polyester Weatherproof Shell*
- *Attached, Concealable Hood*
- Zipper Front with ETP™ Collar and Snap Closure Storm Flap
- Two Zippered, Fleece Lined Slash Pockets
- Left Sleeve Double Slotted Pencil Pocket
- Cell Phone/Radio Chest Pocket
- One Inside Pocket
- Two Mic Tabs on Chest
- COLORS: Hi-Vis Green and Hi-Vis Orange





SV55W

S-3X

WOMEN'S HEAVY DUTY ENGINEER VEST

- 3M® 8712 Silver 2" Glass Bead Reflective Tape
- 15 Pockets Including Inner Large Dual Layered Pockets
- 1" Contrasting Trim Detail
- Reflective Trim Edging
- Dual Mic Tabs
- Padded Neck



SV22-1

S-5X

ECONOMY TWO-TONE VEST

- Contrasting Trim Detail
- Zipper Closure
- 1 Horizontal Stripe
- New Colors: Pink, Hunter Green
- Existing Colors: Red, Blue, Black



RAINWEAR

RW08B

M-6X

CLASS E SE RAIN BIB WITH FLY

- Non-arc buckles
- Waterproof welded seams
- Adjustable elastic suspenders
- Fly with snap closure
- Take up tabs at ankle
- Cargo pocket
- PVC/Polyester
- 2" segmented reflective striping



RW08C

M-6X

CLASS 3 SE RAINCOAT

- Zip front with snap front storm flap
- Adjustable hip bungee with cordlock
- Waterproof heat welded, single stitched seams
- Vented Back
- ETP Collar
- D-ring access
- Mic tab
- PVC on Polyester
- 2 front pockets with snap flap closure
- 2 side entry pockets
- 2" segmented reflective striping
- Adjustable hook and loop sleeve tabs
- Detachable tuck-away hood



RW08J

M-6X

CLASS 3 SE RAIN JACKET

- Zip front with snap front storm flap
- Vented back
- Waterproof heat welded, single stitched seams
- ETP Collar
- Drop tail hem
- D-ring access
- Mic tab
- PVC on Polyester
- 2 front pockets with snap flap closure
- 2 side entry pockets
- 2" segmented reflective striping
- Adjustable hook and loop sleeve tabs
- Detachable tuck-away hood



HAND PROTECTION

RWG56 S-XXL

- White Grain Goatskin Driver
- Kevlar® Lining
- TPR Overlays
- Keystone Thumb
- Slip-On Cuff



Meets ANSI/ISEA 105:2016



U.S. Patent No. 9,241,519

RWG58 S-XXL

- White Grain Goatskin Driver
- Kevlar® Lining
- Keystone Thumb
- Slip-On Cuff



Meets ANSI/ISEA 105:2016



RWG152 S-XXL

- White Grain Goatskin Driver
- Kevlar® Lining
- TPR Overlays
- Gel Padded Palm
- Hook & Loop Closure



Meets ANSI/ISEA 105:2016



U.S. Patent No. 9,241,519

KAMORI
by RADIANS

RWG703 XS-XXL

- 13-Gauge TEKTYE™ Yarn (Fiberglass and Stainless Steel Free)
- Sandy Nitrile Palm Coating
- Reinforced Thumb Crotch

EN388:2016
4 - Abrasion
X - Coup Test/Cut
4 - Tear
2 - Puncture
4 X 4 2



Meets ANSI/ISEA 105:2016

A4 **6** **4**
CUT/1964g ABRASION PUNCTURE

RWG708 XS-XXL

- 18-Gauge TEKTYE™ Yarn (Fiberglass & Stainless Steel Free)
- Foam Nitrile Palm Coating
- Reinforced Thumb Crotch
- Touchscreen Capable

EN388:2016
3 - Abrasion
X - Coup Test/Cut
4 - Tear
2 - Puncture
D - ISO Cut Test
3 X 4 2 D



Meets ANSI/ISEA 105:2016

A4 **4** **3**
CUT/1776g ABRASION PUNCTURE

RWG723 XS-XXL

- 13-Gauge TEKTYE™ Yarn (Fiberglass & Stainless Steel Free)
- Sandy Foam Nitrile Palm Coating
- TPR Overlays

EN388:2016
4 - Abrasion
X - Coup Test/Cut
4 - Tear
2 - Puncture
F - ISO Cut Test
4 X 4 2 F



Meets ANSI/ISEA 105:2016

A6 **4** **3**
CUT/3445g ABRASION PUNCTURE

RWG738 XS-XXL

- 18-Gauge TEKTYE™ Yarn (Fiberglass & Stainless Steel Free)
- Foam Nitrile Palm Coating
- Nitrile Dotted
- Reinforced Thumb Crotch

EN388:2016
4 - Abrasion
X - Coup Test/Cut
4 - Tear
2 - Puncture
D - ISO Cut Test
4 X 4 2 D



Meets ANSI/ISEA 105:2016

A4 **6** **3**
CUT/2038g ABRASION PUNCTURE

U.S. Patent No. 9,241,519

RWG755 XS-XXL

- 13-Gauge TEKTYE™ Yarn (Fiberglass & Stainless Steel Free)
- Foam Nitrile Palm Coating
- Reinforced Thumb Crotch

EN388:2016
4 - Abrasion
X - Coup Test/Cut
4 - Tear
2 - Puncture
E - ISO Cut Test
4 X 4 2 E



Meets ANSI/ISEA 105:2016

A5 **4** **3**
CUT/2848g ABRASION PUNCTURE

RWG756 XS-XXL

- Fully coated 18-Gauge TEKTYE™ Yarn (Fiberglass & Stainless Steel Free)
- Sandy Foam Nitrile Palm Coating
- Reinforced Thumb Crotch

EN388:2016
4 - Abrasion
X - Coup Test/Cut
4 - Tear
1 - Puncture
D - ISO Cut Test
4 X 4 1 D



Meets ANSI/ISEA 105:2016

A4 **6** **3**
CUT/2005g ABRASION PUNCTURE

HAND PROTECTION



RWG13B XS-XXL

- 15-Gauge Gray Nylon/Spandex Shell
- Micro-foam Nitrile Palm Dip
- Offers Great Dexterity



4 1 3 1 X

- 4 - Abrasion
- 1 - Coup Test/Cut
- 3 - Tear
- 1 - Puncture
- X - ISO Cut Test

Meets ANSI/ISEA 105:2016



RWG588 XS-XXL

- 18-Gauge Blue HPPE Outer Shell
- Gray PU Palm Coating
- Touchscreen Capable



3 X 4 3 F

- 3 - Abrasion
- X - Coup Test/Cut
- 4 - Tear
- 3 - Puncture
- F - TDM-100

Meets ANSI/ISEA 105:2016



RWG589 XS-XXL

- 18-Gauge Black HPPE Outer Shell
- Sandy Foam Nitrile Palm Coating
- Reinforced Thumb Crotch
- Touchscreen Capable



4 X 4 2 F

- 4 - Abrasion
- X - Coup Test/Cut
- 4 - Tear
- 2 - Puncture
- F - TDM-100

Meets ANSI/ISEA 105:2016



EYE PROTECTION



THRAXUS ELITE™

- Patented Edge Design For Contemporary Style
- IQuity™ Intelligent Anti-Fog Technology Options Available, Includes Rubber Gasket
- Wire-Core Temples For A Custom Fit
- Cyclonic Venting Anti-Fog System
- 3-Position Ratchet Temples



TXE1-10ID	Gray Features	Clear
TXE1-20ID	Gray Features	Smoke
TXE8-10ID	Hi-Vis Features	Clear
TXE8-20ID	Hi-Vis Features	Smoke
TXE8-90ID	Hi-Vis Features	Indoor/Outdoor
TXE-FMGASKET	Thraxus Elite Foam Gasket	— (SOLD SEPARATELY)



IQuity Models Include Removable Rubber Gasket & Headband

TXE2-13ID	Blue w/Rubber Gasket (D3/D4)	Clear IQ
TXE2-23ID	Blue w/Rubber Gasket (D3/D4)	Smoke IQ



MetSafe™ MD1

Metal Detectable Safety Glass with IQuity™
For Food Service Applications

- Lightweight Comfort (less than 1oz)
- Integrated Nosepiece
- Overmolded metal across lens brow, in temples, plus steel pins, for component-level detectability



IQuity™
INTELLIGENT ANTI-FOG & ABRASION TECHNOLOGY

OVER 2.5x MORE METAL*

**As compared with top competitor models*



PART NO.	INNER QUANTITY	CASE QUANTITY
MD1-20-13	12	300

THRS-SH

RADIANS TITANIUM™ HELMET VISOR

- Euro style accessory clips included
- Contoured face shaping
- All THRS shields designed exclusively for use with RADIANS Titanium™ climbing style helmets
- Can be worn with or without Radians DCMT25-BX
- Cut-proof edgeless lens
- Compatible with glasses
- Drip resistant upper edge



Visor shown attached to Titanium™ Climbing Helmet. Helmet sold separately.



THRS-SH90	Indoor/Outdoor
THRS-SH23	Smoke IQuity
THRS-SH13	Clear IQuity



THRS-FM

RADIANS TITANIUM™ HELMET FACE SHIELDS

- Euro style accessory clips included
- Contoured face shaping
- All THRS shields designed exclusively for use with RADIANS Titanium™ climbing style helmets
- Can be worn with or without Radians DCMT25-BX
- Cut-proof edgeless lens
- Compatible with glasses
- PC shield has drip resistant upper edge
- Z87.1+ (PC Shield), Z87.1 (Wire Mesh)



Shield shown attached to Titanium™ Climbing Helmet. Helmet sold separately.



THRS-C	Clear PC
THRS-WM	Wire Mesh



SV99A-2

M-4X

*5X-6X Made-to-order

PREMIUM SOLID DH AIR CLASS 2 FR VEST

- Arc Rated Zipper Closure
- ANSI/ISEA 107-2020
- NFPA 70E CAT 2
- NFPA 2112
- 8 Cal ATPV
- 5.7 oz Sateen Westex® DH Air™
- 48% Lenzing™ Lyocell, 40% Modacrylic, 12% Aramid
- 2" Segmented FR Reflective Tape
- COLORS: Hi-Vis Green
- 100 WASH MAX



WESTEX
DH Air™



AR/FR NFPA 2112 CAT 2



SV99A-3

M-4X

*5X-6X Made-to-order

PREMIUM SOLID DH AIR CLASS 3 FR VEST

- Arc Rated Zipper Closure
- ANSI/ISEA 107-2020
- NFPA 70E CAT 2
- NFPA 2112
- 8 Cal ATPV
- 5.7 oz Sateen Westex® DH Air™
- 48% Lenzing™ Lyocell, 40% Modacrylic, 12% Aramid
- 2" Segmented FR Reflective Tape
- COLORS: Hi-Vis Green
- 100 WASH MAX



WESTEX
DH Air™



AR/FR NFPA 2112 CAT 2



SV99W-M2

S-3X

*4X-5X Made-to-order

WOMEN'S CLASS 2 AR/FR WESTEX® DH VEST

- Arc Rated Zipper Closure
- ANSI/ISEA 107-2020
- NFPA 70E CAT 1
- ASTM F1506 /NFPA 2112
- 6.8 Cal ATPV
- 5.5 oz Twill Westex® DH
- 48% Lenzing™ Lyocell, 40% Modacrylic, 12% Aramid
- 2" FR Reflective Tape
- COLORS: Hi-Vis Green
- 50 WASH MAX



WESTEX
DH



AR/FR NFPA 2112 CAT 2



SV99W-M3

S-3X

*4X-5X Made-to-order

WOMEN'S CLASS 3 AR/FR WESTEX® DH VEST

- Arc Rated Zipper Closure
- ANSI/ISEA 107-2020
- NFPA 70E CAT 1
- ASTM F1506 /NFPA 2112
- 6.8 Cal ATPV
- 5.5 oz Twill Westex® DH
- 48% Lenzing™ Lyocell, 40% Modacrylic, 12% Aramid
- 2" FR Reflective Tape
- COLORS: Hi-Vis Green
- 50 WASH MAX



WESTEX
DH



AR/FR NFPA 2112 CAT 2



AR/FR WORKWEAR

VDH5VSH3

S - 4X

*5X-6X Made-to-order

NEESE VENTED BACK CLASS 3 DUAL HAZARD SHIRT

FEATURES:

- ANSI/ISEA 107-2020
- NFPA 70E CAT 2
- ASTM F1506 /NFPA 2112
- 8 Cal ATPV
- Button Closure

MATERIALS:

- 5.7 oz Sateen Westex® DH Air™
- 48% Lenzing™ Lyocell,
- 40% Modacrylic, 12% Aramid
- 2" Segmented FR Reflective Tape

COLORS:

Fluorescent Yellow

100 WASH MAX



WESTEX
DH Air™



WOMEN'S SHIRT (VDH5VLSH3) S-3X Made-to-order

AR/FR

CAT 2

NFPA 2112



ST921W

S - 3X

WOMEN'S FR LONG SLEEVE T-SHIRT WITH SEGMENTED REFLECTIVE TAPE

- ANSI/ISEA 107-2020
- NFPA 70E CAT 2
- ASTM F1506
- 9.6 Cal ATPV
- 7.75 oz Knit Modacrylic
- 61% Modacrylic, 32% FR Cotton, 7% Polyester
- 2" Segmented FR Reflective Tape
- **COLORS:** Hi-Vis Green
- 25 WASH MAX



AR/FR NFPA 2112 CAT 2



ST921

M - 4X

*5X-6X Made-to-order

FR LONG SLEEVE T-SHIRT WITH SEGMENTED REFLECTIVE TAPE

- ANSI/ISEA 107-2020
- NFPA 70E CAT 2
- ASTM F1506
- 9.6 Cal ATPV
- 7.75 oz Knit Modacrylic
- 61% Modacrylic, 32% FR Cotton, 7% Polyester
- 2" Segmented FR Reflective Tape
- **COLORS:** Hi-Vis Green
- 25 WASH MAX



AR/FR NFPA 2112 CAT 2



VOLCORE
FR WORKWEAR | BY RADIAN

FRCA-WCA S-6X

9 OZ 100% COTTON SATEEN
WELDING COVERALL

- Welders Visual Green
- CAT 2 | 9.2 Cal ATPV
- Meets ASTM F1506 and F1959
- 2 Large Back Pockets
- Flat Front Construction
- Maintains spark protection with heavy-duty FR flame-retardant fabric and fasteners
- Smooth FR Sateen Fabric sheds sparks and molten materials quickly



POLARTEC

BALACLAVA-IG

FR BALACLAVA

- 9.6 oz. Polartec® Power Grid™ FR Fleece
- Arc Rated, CAT 2, 20 cal/cm2 ATPV
- Fabric meets NFPA 2112
- Meets ASTM F1506
- Lightweight, Comfortable Fit
- Moisture-Wicking



AR⚡FR NFPA 2112 CAT 2

AR⚡FR CAT 2 NFPA 2112 F1506

NEW FROM 2022

REFLECTIVE SOFT SHELL JACKET

DCHJ101

Part Number: DCHJ101D1-(size)

Sizes: S - 3X

- Polyester Sherpa Lining
- Polyester Soft Shell
- Pockets With Waterproof Zippers
- Reflective Piping
- Adjustable Cuffs, Waist And Hood
- Extended Shirttail
- 1 Upper and 1 Lower Interior Pocket
- Brushed Tricot Pockets
- Adjustable Sleeves
- Includes: Battery, Charger and USB Power Adapter



SOFT SHELL VEST

DCHV089

Part Number: DCHV089D1-(size)

Sizes: S - 3X

- Polyester Sherpa Lining
- Polyester Soft Shell
- Side Zip Lower Pockets
- Chest and Inside Pockets
- Brushed Tricot Pockets
- Extended Shirttail
- Includes: Battery, Charger and USB Power Adapter



DCMT25

DIELECTRIC CAP MOUNT EARMUFF

- Designed for use with the Radians Titanium™ climbing style helmet while working with most other slotted hard hats
- Dielectric construction, safe for use around electrical hazards
- Adjustable fit
- Reinforced pivot point
- Soft, foam padded earcups
- Low Profile
- Lightweight



HPPE CUT+TOUCHSCREEN GLOVE

DPG860

Sizes: XS - XXL

- 13-Gauge Nylon HPPE+Fiberglass Shell
- PU Palm Coating
- Touchscreen Capable
- Seamless Fit



RWG4742 S-XXL

PREMIUM GOATSKIN DRIVER

- Premium Goatskin Leather
- Keystone Thumb
- Shirred Wrist, Cloth Hem



RADT7418TS

TEKTYE™ A4 CUT PROTECTION SLEEVE

- 13-Gauge Tektye™ Yarn
- Fiberglass and Stainless Steel Free
- 18" Sleeve
- Thumb Hole
- Hook & Loop Closure
- Comes in Pairs
- Vend Pack



Comes in Vend Pack



1000P

Poncho is 40" in length and features an attached hood. The garment is constructed with a .10mm PVC.

- Attached Hood
- Clear Snaps On Side For Closure
- Heat-sealed Seams

PART #	COLOR	SIZES
10100-42-BLU-U	Blue	One Size Fits All
10100-42-YEL-U	Yellow	One Size Fits All

1005P

Poncho is 40" in length and features an attached hood. The garment is constructed with a .13mm clear PVC.

- Attached Hood
- Clear Snaps On Side For Closure
- Heat-sealed Seams

PART #	COLOR	SIZES
10105-42-CLR-U	Clear	One Size Fits All

1000P



1005P



REWCOVER12

DUST COVER FOR REW01112

- Protects 12 gallon eyewash station from dust and environmental contaminants
- Maintains useability with hook and loop closure that releases with activation of tray

