

DEWALT®

A construction worker is shown in a dynamic pose, using a DeWalt reciprocating saw to cut through a wooden beam. He is wearing a yellow hard hat, safety glasses, a high-visibility yellow vest over a grey t-shirt, black gloves, and brown work boots. The background is a complex construction site with scaffolding and rebar. The image is framed by a yellow border.

**PERSONAL
PROTECTIVE EQUIPMENT**

www.**DEWALT**.com

GUARANTEED TOUGH.®



PROTECTIVE GLOVES

EN388 STANDARD

EN388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS

EN388 ratings are also noted on Radians hand protection. EN388 includes more specific information about the resistance to particular types of hazards you may encounter on the job. There are five numbers listed which indicate the level of resistance to puncture, tearing, blade cut and abrasion. Look at the diagram to the left to reference which number corresponds to which hazard.



EN388

4 X 4 4 C X → Impact Test

TDM-100 Test
 Puncture Resistance
 Tear Resistance
 Blade Cut Resistance
 Abrasion Resistance

Level	1	2	3	4	5
Abrasion Resistance No. of Cycles	100	500	2000	8000	-
Blade Cut Resistance Factor	1.2	2.5	5.0	10.0	20.0
Tear Resistance Newton	10	25	50	75	-
Puncture Resistance Newton	20	60	100	150	-

TDM-100						
Level	A	B	C	D	E	F
newtons	2-4.9	5-9.9	10-14.9	15-21.9	22-29.9	30+

GEL PADDED POWERTOOL GRIP

DPG33

Product Code	DPG33L EU
Barcode	0674326273785
Size	Large / 9



Reinforced Toughgrip™ Palm
 Reinforced Thumb Saddle
 Leather Knuckle Strap



EN388

3 5 4 1 B



PERFORMANCE FINGERLESS

DPG213

Product Code	DPG213L EU
Barcode	0674326273952
Size	Large / 9



High-Dexterity Fingerless Design
Double Palm Overlay
Terry Cloth Brow Wipe
Neoprene Knuckle

EN388



3 1 4 1 X



PERFORMANCE 3 FINGER

DPG214

Product Code	DPG214L EU
Barcode	0674326273969
Size	Large / 9



3/4 Short Finger Design
Double Palm Overlay
Terry Cloth Brow Wipe
Neoprene Knuckle

EN388




3 1 4 1 X



PERFORMANCE FULL FINGER

DPG215

Product Code	DPG215L EU
Barcode	0674326273976
Size	Large / 9



Double Palm Overlay
SecureFit™ Wrist Closure
Terry Cloth Brow Wipe
Neoprene Knuckle

EN388



3 1 4 1 X



GENERAL UTILITY FULL FINGER

DPG21

Product Code	DPG21L EU
Barcode	0674326273747
Size	Large / 9



Full Finger Design
Durable Palm/Finger Overlays
Terry Cloth Brow Wipe
ToughThread™ Double Stitching



TECHNICIAN FINGERLESS

DPG23

Product Code	DPG23L EU
Barcode	0674326273723
Size	Large / 9



High-Dexterity Fingerless Design
Double Palm Overlay
Terry Cloth Brow Wipe
ToughThread™ Double Stitching



FRAMER 3 FINGER

DPG24

Product Code	DPG24L EU
Barcode	0674326273792
Size	Large / 9



Durable Palm/Finger Overlays
3/4 Short Finger Design
Neoprene Knuckle
ToughThread™ Double Stitching



PREMIUM SPLIT COWHIDE

DPG41

Product Code	DPG41L EU
Barcode	0674326273754
Size	Large / 9



Split Leather Knuckle Strap
2 ½" Rubberized Cuff
Double Leather Palm



LEATHER PERFORMANCE HYBRID

DPG216

Product Code	DPG216L EU
Barcode	0674326301112
Size	Large / 9



Split Cowhide Leather Palm
Breathable Spandex Back
Reinforced Thumb Saddle




SMOOTH NITRILE GRIPPER

DPG66

Product Code	DPG66L EU
Barcode	0674326273341
Size	Large / 9



UltraDex™ Smooth Nitrile Grip
Smooth Nitrile Coating
Breathable Poly Shell
Elastic Cuff



TEXTURED RUBBER GRIPPER

DPG70

Product Code	DPG70L EU
Barcode	0674326273761
Size	Large / 9



Textured Rubber Grip
Textured Rubber Palm
Breathable Knit Back
Seamless Fit
Ergonomic Design



TOUCHSCREEN HPPE CUT C

DPG800

Product Code	DPG800L EU
Barcode	0674326291970
Size	Large / 9



Black Foam Nitrile Palm Dip
Seamless Fit
Touchscreen Capable





FULLY DIPPED

DPG35

Product Code	DPG35L EU
Barcode	0674326357928
Size	Large / 9



Full Dip
Water Resistant
Fully Coated Nitrile
Nylon Shell
Breathable



FLEXIBLE DURABLE GRIP

DPG72

Product Code	DPG72L EU
Barcode	0674326357911
Size	Large / 9



Breathable, water-resistant coating
Lightweight and durable
Comfortable, seamless fit



HI-VIS CUT D

DPG855

Product Code	DPG855L EU
Barcode	0674326361703
Size	Large / 9



13 Ga Hi-Vis HPPE Shell
Foam Nitrile Palm
Oil & Water Resistant
Reinforced Thumb Saddle



TOUCHSCREEN HPPE CUT D

DPG860

Product Code	DPG860L EU
Barcode	0674326370880
Size	Large / 9



13 GA Nylon HPPE with Fiberglass
Black PU Palm Coating
ANSI level 4 cut resistant



PROTECTIVE EYEWEAR

CONCEALER

DPG82

Product Code	Lens	Barcode
DPG82-11D EU	Clear Anti-Fog	0674326273914

Dual Injected Rubber Comfort Seal
Built-In Ventilation Channel



DOMINATOR

DPG94

Product Code	Lens	Barcode
DPG94-2D EU	Smoke	0674326233154

Full Frame With Larger Lens
Rubber Nosepiece & Temple Accents



ROUTER

DPG96

Product Code	Lens	Barcode
DPG96-2D EU	Smoke	0674326239354
DPG96-FD EU	Fire Mirror	0674326259796

Slim, Lightweight Frame
Dual Mold Rubber Temples



CONTRACTOR PRO

DPG52

Product Code	Lens	Barcode
DPG52-1D EU	Clear	0674326222219
DPG52-2D EU	Smoke	0674326222219
DPG52-9D EU	Indoor/Outdoor	0674326222219

Rubber Tipped Temples
Soft, Rubber Nosepiece



EN
166 1F

UVA
99.9%
UVB

HC
HARD
COAT

PROTECTOR

DPG54

Product Code	Lens	Barcode
DPG54-1D EU	Clear	0674326216997
DPG54-2D EU	Smoke	0674326217017

Ergonomic Lightweight Design
Rubber Tipped Temples



REINFORCER

DPG58

Product Code	Lens	Barcode
DPG58-1D EU	Clear	0674326217253
DPG58-2D EU	Smoke	0674326273815
DPG58-6D EU	Fire Mirror	0674326217598
DPG58-9D EU	Indoor/Outdoor	0674326280110

Cushioned, Rubber Temple Pads
Soft, Rubber Nosepiece



INFINITY

DPG90S

Product Code	Lens	Barcode
DPG90S-7D EU	Blue Mirror	0674326273310

Dual Mold Rubber Temple Grips
Soft Rubber Nosepiece
Includes Neck Cord and
Microfiber Carrying Bag



STRUCTURE

DPG93

Product Code	Lens	Barcode
DPG93-2D EU	Smoke	0674326277172

Extra Side Temple Coverage
Lightweight Frame



HDP

DPG99

Product Code	Lens	Barcode
DPG99-2PD EU	Smoke Polarized	0674326288260

Dual Mold Rubber Temples
Soft Rubber Nosepiece
Glare Reducing Polarized Lenses



CROSSCUT

DPG100

Product Code	Lens	Barcode
DPG100-1D EU	Clear	0674326290171
DPG100-2D EU	Smoke	0674326290188
DPG100-9D EU	Indoor/Outdoor	0674326290195

Dual Injected Rubber Temples
Soft, Rubber Nosepiece



AUGER

DPG101

Product Code	Lens	Barcode
DPG101-1D EU	Clear	0674326290171
DPG101-2D EU	Smoke	0674326290188
DPG101-9D EU	Indoor/Outdoor	0674326290195

Lightweight Full Frame Design
Soft Rubber Nosepiece & Temples



RECIP

DPG102

Product Code	Lens	Barcode
DPG102-1D EU	Clear	0674326288192
DPG102-2D EU	Smoke	0674326288208

Ratcheting Temples with Rubber Tips
Soft, Adjustable Rubber Nosepiece



HEARING PROTECTION

UNCORDED FOAM EARPLUGS

DPG12

Product Code	DPG12BG50 EU
Barcode	0674326290669
SNR	32

32 SNR Hearing Protection
Extremely Soft Foam
Comfortable, Low-Pressure Fit
Disposable
Tapered Shape Allows Easy Insert



ADJUSTABLE EAR DEFENDERS

DPG13

Product Code	DPG13HC EU
Barcode	0674326290676
SNR	32

32 SNR Hearing Protection
Adjustable Headband
Padded headband
Soft, foam filled ear cushions



BLUETOOTH® EAR DEFENDER

DPG17

Product Code	DPG17 EU
Barcode	0674326357454
SNR	31

31 SNR Hearing Protection
Bluetooth® 5.0 connectivity compatible with most smart devices
Integrated Microphone for phone calls
Listen to Music/Audio
High Fidelity Speakers for premium sound
Voice prompt notifications
Rechargeable Lithium Ion Battery





HEATED JACKETS

TOUGH ON COLD

DEWALT Heated Gear, powered by the DEWALT® 18V LITHIUM ION MAX* 2.0 Ah battery, provides hours of warmth and comfort in cold temperatures. The carbon fiber heating system delivers up to nine hours of core body warmth and continuous heat**. Designed and constructed to be GUARANTEED TOUGH® for the rugged and tireless worker.



LED CONTROLLER OFFERS
3 TEMPERATURE SETTINGS
WITH PRE-HEAT FUNCTION



USB PORT FOR CHARGING
PORTABLE ELECTRONICS



INCLUDES CONVENIENT
BATTERY FUEL GAUGE



MULTIPLE LOCATIONS FOR BATTERY
OR ELECTRONIC DEVICE*

*MALE + FEMALE CONNECTORS MUST BE JOINED TO USE INTERIOR POWER PLUG

**Battery pocket accepts 18V LITHIUM ION MAX* lithium-ion batteries which improves run time by up to 25%.
(At maximum initial battery voltage, as compared to 1.5 Ah DCB183-XJ).

HEAT ZONE VARIATIONS



5 HEAT ZONES
LEFT AND RIGHT CHEST,
BOTH ARMS AND MID-BACK



4 HEAT ZONES
LEFT AND RIGHT CHEST,
COLLAR AND MID-BACK



3 HEAT ZONES
LEFT AND RIGHT CHEST,
AND MID-BACK



UP TO 9 HOURS
OF CORE BODY WARMTH
AND CONTINUOUS HEAT**



WATER + WIND RESISTANT
OUTER SHELL



WIND RESISTANT
OUTER SHELL



STRUCTURED SOFT SHELL

DCHJ090B

Product Code DCHJ090BD1-(SIZE) EU

Sizes S - 3X

UK only (Includes: DCB107-GB (UK Charger),
18V 2.0Ah Battery, and 18V Adapter)

Product Code DCHJ090BD1-(SIZE) CE

Sizes S - 3X

EU only (Includes: DCB107-QW (Mainland Charger),
18V 2.0Ah Battery, and 18V Adapter)

Multiple pockets including cell phone and sleeve pockets

Toggle pull adjustable waist

Waterproof zippers

Full coverage drop tail hem



REVERSIBLE FLEECE VEST

DCHV086B

Product Code DCHV086BD1-(SIZE) CE

Sizes S - 3X

EU only (Includes: DCB107-QW (Mainland Charger),
18V 2.0Ah Battery, and 18V Adapter)

Reversible polyester fleece to Sherpa fleece

Extended collar for extra coverage

8 pockets for convenient storage include chest pockets
and zipper pockets

Drop tail hem for full coverage



DEWALT®



The policy of DeWALT is one of continuous product improvement and development. All products and specifications are correct at the time of going to print and may be subject to change without notification.

Copyright ©2022 DeWALT. DeWALT and GUARANTEED TOUGH® are registered trademarks of DeWALT Industrial Tool Co., used under licence. All rights reserved. The yellow and black colour scheme is a trademark for DeWALT power tools and accessories.

Trademark Licence: Radians, Inc.
5305 Distriplex Farms Drive, Memphis, TN 38141 877-723-4267, www.radians.com.
A licensee of DeWALT Industrial Tool Co.

RADIANS WORLDWIDE, LTD.
www.radians.com | +44 (0) 1274028678
joanne.smithers@radians.com

Registered Address:
Centrum House, 36 Station Road
Egham, Surrey, TW20 9LF, United Kingdom
UK Registered Company No. 8215190

Office Location:
1st Floor East Suite, Waterfront, Salt Mills Road
Shipley BD17-7TD, United Kingdom

www.DEWALT.com

GUARANTEED TOUGH.®

5116EU_DEWALT EU CAT_Rev04
082622